

Contents

Alabama Laws	3
Alaska Laws	3
Arizona Laws	3
Arkansas Laws	3
California Laws	4
Colorado Laws	4
Connecticut Laws	5
Delaware Laws	5
District of Columbia	5
Georgia Laws	5
Florida Laws	6
Illinois Laws	6
Indiana Laws	7
Iowa Laws	7
Kansas Laws	7
Kentucky Laws	7
Louisiana Laws	8
Maine Laws	8
Maryland Laws	8
Massachusetts Laws	9
Michigan Laws	10
Minnesota Laws	10
Mississippi Laws	10
Missouri Laws	11
Montana Laws	11
Nebraska	11
Nevada Laws	11
New Hampshire	12
New Jersey Laws	12

New Mexico Laws.....	12
New York Laws	12
North Carolina Laws	13
North Dakota Laws	13
Ohio Laws.....	13
Oklahoma Laws	14
Oregon Laws	14
Pennsylvania Laws.....	14
Rhode Island Laws.....	15
South Carolina Laws	15
South Dakota Laws	15
Tennessee Laws.....	15
Texas Laws	16
Utah Laws	16
Vermont Laws	16
Virginia Laws	17
Washington Laws	17
West Virginia Laws	18
Wisconsin Laws	18
Wyoming Laws	18

Alabama Laws

- **Code of Alabama**
 - **Section 16-1-45** [Link](#) This section mandates that all schools K-12 shall have at least one AED with one employee of each school being trained in its use. [State Department of Education](#) is responsible of implementing and administering this section.
- **Alabama Admin. Code (Chpt 270-X-2** [PDF Link](#)**)**
 - **2-19:** In the recovery area for anesthesia/sedation facility electric outlet must be presence for connecting cardiac monitoring and defibrillating equipment.

Alaska Laws

- **Administrative Laws**
 - Before one can get their driver's license in Alaska, they must be certified in both CPR and AED Training.

Arizona Laws

- **Administrative Laws**
 - **Health Care Institutes** [R9-10-918](#)
 - An administrator must ensure that they have an AED on surgical site.
 - **Dental Institutes** [R4-11-1301](#).
 - For general Anesthesia and deep sedation, the administrator must have an AED on sight.
 - **State Buildings** [ARS §34-401](#)
 - Any new State Building constructed over \$250,000 has to have an AED placed.

Arkansas Laws

- **Code of Arkansas**
 - **Ambulance or Authorized Vehicle** [1.27.14.18](#)
 - This code states that ambulances or authorized vehicles must have appropriate medical equipment including at least one AED
 - **Health Spas - A.C.A. § 20-13-1306 (2015) 20-13-1306.**
 - Health spas must have at least one AED on premises at all times
 - **Dental Board of Arkansas**
 - [Dental Practice Act](#) All dental offices that administer minimal, moderate, or deep sedation must have an AED. Also all mobile dental facility must have an AED.
 - **Education Systems - A.C.A. § 6-10-122 (2015) 6-10-122.**
 - Each school campus must have at least one AED on campus at all times, also one on sight for athletic events.

California Laws

- **Health and Safety Codes** [Division 103](#)
 - This code states that every health studio shall acquire, maintain, and train personnel in the use of an operational automatic external defibrillator
- **Fire Code** [9.30.090 Addition to Section 408](#)
 - This code states that at least one AED may be required in new buildings and existing buildings because of occupancy, having an occupant load of 50 or more.
- **Health Facilities** [97530.15 Sec. C](#)
 - This code states that each facility shall have all equipment and supplies necessary for life support including a cardiac monitor defibrillator
- **Nursing Homes** [22 CCR § 87607](#)
 - An AED must be licensed and fit certain certifications in order to have within facility.
- **Fitness Centers, Amusement Parks, and Golf Courses** [Section 104113 AB 1312](#)
 - All are required to have an AED placed within Facility. Every Health Studio shall acquire an AED, any facility permitting the use of its facilities and equipment or access to its facilities and equipment, to individuals or groups for physical exercise, body building, reducing, figure development, fitness training, or any other similar purpose, on a membership basis.
- **Cities and High Rise Buildings** [Division 39](#)
 - All High Rise buildings have AED ; table 145-3910 of the code shows any building with occupant load over 300 in Group A, B, E, F, H, I, M, R, and S categories (no housing and no parking garages)
- **Dental Board of California**
 - **Regulations** [Section 1043.4](#)
 - **Subsection G** Defibrillators are required in dental office for general anesthesia, but not for conscious sedation.

Colorado Laws

- **Colorado Dental Board Rules and Regulations** [Link](#)
 - **Rule XIV. Section M (page 31)** [PDF](#)
 - **Subsection 1a** Defibrillator need for minimal sedation
 - **Subsection 2a** Defibrillator need for moderate sedation
 - **Subsection 3a** Defibrillator need for deep sedation/general anesthesia
- **Emergency Equipment** [Chap 18 Part 11](#) This code states that medical/surgery services must have an AED readily available
- **Education Systems - C.R.S. 22-1-125**
 - School systems must acquire and obtain at least one AED on school premises at all times.

Connecticut Laws

- **State Administrative Code [Title 20](#)**
 - **Dental Facilities: Sec 20-123b-9 (page 6) [PDF](#)**
 - Defibrillator is required for any dental office that administers general anesthesia or conscious sedation.
 - **Education Systems:**
 - [Sec. 10-212d](#): This code states that school systems must have availability to AED's during school operational hours and during school-sponsored athletic practices/events. The use of cardiopulmonary resuscitation must be available also.
 - **Collegiate Athletes, Higher Education: [10a-55l Section](#)** – This states that each athletic department of higher education must provide availability of an AED in a central location for employees and student-athletes to readily use when needed.
 - **Public Buildings, Fitness Centers, Nursing Homes, and Golf Courses**
 - AEDs must be placed in public buildings such as hotels, restaurants and fitness centers

Delaware Laws

- **Nursing Facilities allowing Pediatric Residents - [Section 5.3](#)**
 - This code requires that a pediatric resuscitation cart located on each pediatric wing shall include one AED designed for pediatric use with paddle sizes appropriate for pediatric use.
- **Public Places, Schools, and Businesses**
 - An AED must be placed within certain facilities. (law enforcement and public places) <http://delcode.delaware.gov/title16/title16.pdf>

District of Columbia

- **Parks & Recreation and Health clubs [Bill 17 - 635](#)**
 - Install and maintain automatic external defibrillators (AEDs) in Department of Parks and Recreation (DPR) facilities

Georgia Laws

- **General Anesthesia Permits [150-13-.02](#)**
 - This code states that if any level of anesthesia is performed at least one AED needs to be centrally located and readily available.
- **Education Systems - O.C.G.A. § 20-2-775**
 - At least one AED is required on each high school premises at all times.

- **Dental Offices**
 - Any moderate sedation needs AED on premises per licensing board (conscious sedation)

Florida Laws

- **Administrative Codes**
 - **Automated External Defibrillator – State Parks** [Title 17](#)
 - [Chp. 29 Sec 29-15](#)
 - This code encourages each state park to have on the premise at all times a functioning automated external defibrillator
 - **Automated External Defibrillator – Education Code** [Title 48](#)
 - **Chapter 1006 Section 165**
 - This code requires that any public schools that are a member of the Florida High School Athletic Association must have an operational external defibrillator on school grounds at all times. Price/Public partnerships are encouraged to cover the cost of purchasing, placing, and training of the defibrillator
 - The use is covered again through [Chp786 Sec13](#) and [Chp786 Sec13-25](#)
- **Dental Offices**
 - All Florida Dentists must have an AED in their office.
- **Social Welfare**
 - **Assisted Care Communities** [Title 30](#)
 - **Chapter 429 Section 255**
 - This code states that an assisted living home licensed with over 17 beds shall have an operational automated external defibrillator on premises at all times.
 - **Elderly Affairs** [Ch430 Sec902](#)
 - This code requires that each multiservice senior center is encouraged to have on the premises at all times an operational automatic external defibrillator.

Illinois Laws

- **Illinois Administrative Code**
 - **Dental Facilities**
 - [Section 1220.510](#) AED required in dental facility that perform Moderate Sedation
 - [Section 1220.520](#) AED required in dental facility that perform Deep Sedation/General Anesthesia.

AED Mandates (Where AEDs are required by code/laws)

7

- **Outdoor Public or Privately Owned Athletic Fields (Schools, Country clubs, soccer fields, etc.)** [HB5838](#)
 - Legislation was passed requiring Schools, colleges, universities to have an AED in all indoor and outdoor athletic facilities serving 100 individuals or more if supervised by one or more employees of the organization
- **Horse Racing** [230 ILCS 5](#)
 - This law requires that organization licensees shall make no less than 2 AEDs available. They must be operational and accessible when workers are present at their racing facilities. One AED should be placed in paddock and the other placed on the backstretch of their racing facilities.
- **Health Facilities and Regulations** [210 ILCS 74](#) and [Section 527.600](#)
 - **Section 15:** This law requires that every physical fitness facility must have at least one operational AED on the facility premises.
 - **Section 20:** This law also states that they must have a trained AED user on staff during operation hours.

Indiana Laws

- **Indiana State Board of Dentistry**
 - **Indiana State Board of Dentistry** ([Link to Statutes/Rules](#))
 - **828 IAC 3-1-10 (Page 69)** [PDF](#) A Defibrillator is required for all practitioners using general anesthesia or deep sedation
 - **Health clubs Requirements** [IC 24-4-15-5](#)
 - This code requires that each Health facility has a centrally located AED and must be certified in AED and cardiopulmonary resuscitation use.

Iowa Laws

- **Graduation – Students** - [Healthy Kids Act](#)
 - All Students must be CPR/AED trained before their high school graduation.

Kansas Laws

- **Admin Code (Dental)** [71-5-11](#) A defibrillator/AED is required for Dental facilities that perform parenteral conscious sedation.

Kentucky Laws

- **Kentucky Board of Dentistry** ([Statutes & Regulations](#)) **201 KAR 8:550** [Link](#) **Section 14** A defibrillator/AED is required for Dental facilities that perform moderate sedation, deep sedation, or general anesthesia.

- **Horse Racing** [Section 16](#)
 - An association of horse racing shall have a heart monitor and defibrillator equipped during race hours.
- **AED's Within Public Schools** [HB383](#)
 - The Department of Education shall develop and make available to school districts a list of organizations willing to make donations or that have resources available to schools for this purpose, federal programs or grants, and any other source of funding that school districts may use to purchase automated external defibrillators. The department shall also facilitate public recognition for the purpose of purchasing automated external defibrillators. Each local board is encouraged to make automated external defibrillators available at each high school athletic practice or athletic competition in the district. If funds are not available, the local board shall request local emergency medical services personnel to be present at each high school athletic competition and may request their presence at each high school athletic practice.

Louisiana Laws

- **Louisiana Dental Practice Act** ([Link](#))
 - **§1511. A-7-g (Page 39 PDF)** A defibrillator is required in faculties that utilize general anesthesia or deep sedation.
- **Fitness Centers** [LaRS 40:1236.13](#)
 - Any physical fitness facility with a membership of over fifty people must have an AED on site.
- **Colleges** [HB 362](#)
 - Any intercollegiate athletics has to have an AED on premises

Maine Laws

- **Administrative Laws**
 - **Education Systems**
 - **LD#1785** - school administrative unit to equip every school building in its jurisdiction with an AED (no effective date)

Maryland Laws

- **Administrative codes**
 - **Swimming Facility** [Section 1–1310](#)
 - Each county that has a aquatics facility shall implement at least 1 AED in a centralized location.

- **Education Systems** [Section 7-425](#)
 - In this code it states that each county shall implement that each high school and middle school shall have at least one AED at a centralized location.
- **Boxing Contests**
 - Need to have an AED at every boxing contest.
- **Dental Facilities** [Maryland public access program](#)
 - Requires an AED in Dental Offices that use oral conscious sedation.
- **Public Pools** [SB742 \(Chapter 349\)](#)
 - Pages 5 of 25 - Pools are strongly encouraged to have an AED on site.
- **Physical therapy** [House Bill 293](#) – Went through January 27, 2010
 - Requires all physical therapy offices to have an AED on site. Does not apply to any licensed physical therapist who works in a setting outside of the physical therapy office or hospital or related institutions
- **Anne Arundel County, MD**
 - **County Code** [11-14-304](#)
 - **Subsection (e)** All public and semi-public pools must have an AED
- **Baltimore County, MD**
 - **County Code** [13-6-204](#)
 - **Subsection (b-2)** Operators of public swimming pool or bathing beach must provide an AED
- **Montgomery County, MD**
 - **County Code** [Sec. 24-11A](#)
 - **Subsection (b)** every commercial fitness center must have at least one AED. This excludes commercial where not more than 3 people are employed.
 - **County Code Sec.** [51-16A](#)
 - **Subsection (a)** Every public swimming pool must have at least one AED w/people trained in AED use.
- **Hartford County, MD**
 - **County Code** [Sec 226-2](#) Every public, recreational and semi-public swimming pool in Hartford County must have an AED along w/first aid kit and CPR rescue mask.
- **Queen Anne's County, MD**
 - **County Code** [Sec 21-17](#) Each public and semi-public pool in Queen Anne's County must have an AED w/First Aid kit.

Massachusetts Laws

- **Administrative Codes**
 - **Board of Registration in Dentistry** ([PDF Link](#))
 - **6.04-2.c** Automated or manual defibrillator required for general anesthesia/deep sedation facilities.

- **6.05-2.b** Automated or manual defibrillator required for moderate sedation facilities.
- **6.06-2.b** Automated or manual defibrillator required for minimal sedation facilities
- **6.07-2.b** Automated or manual defibrillator required for nitrous oxide-oxygen sedation
- Manual defib can only be operated by person certified in ACLS or PALS
- **6.08-2.a.2** Automated or manual defibrillator required for dental offices using mobile/portable anesthesia services.
- Manual defib can only be operated by person certified in ACLS or PALS
- **Department of Public Health (CMR 105.002 [PDF Link](#))**
 - Long term care facilities/nursing facility must have an AED no later than November 30, 2005.
- **Health Facilities [Section 78A](#)**
 - This code states that a health club shall have at least 1 AED at a central location on the premises.
 - Hotels w/ fitness facilities must have an AED on site.

Michigan Laws

- **Administrative codes**
 - **Fitness Centers [Section 333.26311](#)**
 - Each health club must have at least one AED on the premises. Clubs must develop and implement an emergency plan to address emergency services during operational hours at the health club.

Minnesota Laws

- **Minnesota Administrative Rules**
 - **[3100.3600 Subp. 10 Subsection B](#)** Offices where general anesthesia, deep sedation or moderate sedation are provided/administered an AED or defibrillator is required.
 - **[Section 1 Subd. 9a](#)** Section 144A.04 - a nursing home must have at least one fully operational automatic external defibrillator accessible at all times
 - State Buildings/Public Buildings **[sb567; hb 739](#)** - CPR/AED training should be added to course curriculum; AEDs in state buildings with more than 25 people

Mississippi Laws

- **Mississippi Dental Board Regulations ([Link](#))**
 - **Regulation Number 45 Section 2. [Link](#)**
All dental offices must have at least AED. Effective July 1, 2012.

Missouri Laws

- **Code of State Regulations Division 2100 Missouri Dental Board** [LINK](#)
 - **Chapter 4** [PDF](#)
 - **Page 9.** A Defibrillator is required and AED is recommended for any dental locations where moderate sedation is utilized.
 - **Page 12.** Dental location must be properly equipped in accordance to [AAOMS Office Anesthesia Evaluation Manual 8th Edition 2012](#). It requires a defibrillator to be in the location for deep sedation/general anesthesia and an AED is recommended due to ease of use.
- **Medical Transport Vehicles** [House Bill 1668](#)
 - Medical transport vehicles and ...all basic life support ambulances and stretcher vans to be equipped with an automated external defibrillator and be staffed by at least one individual trained in the use of an automated external defibrillator.

Montana Laws

- **Montana Administrative Rules - DENTAL / Emergency Care**
 - [24.138.3225](#) A defibrillator is required for deep sedation/general anesthesia facilities.

Nebraska

- **Emergency Areas** [6-006.24B](#)
 - This code states that in emergency care of patients they must have an AED with staff that are trained on how to use the AED.

Nevada Laws

- **Nevada Administrative Regulations**
 - [NAC 621.2227](#) A defibrillator is required for deep sedation/general anesthesia facilities.
 - [NRS 450B.600](#) An AED is required to be placed in certain public buildings and locations listed below:
 - A school district of at least 100,000 or more must provide at least one AED in a central location in each high school
 - At least 3 AEDs are provided in a central location at the largest airport within the county
 - A county of a population of 700,000 or more must ensure that at least 7 AEDs are centrally located at the largest county airport
 - University of Nevada shall ensure that at least 2 AEDs are placed in central locations of: 1. Largest indoor sporting arena controlled by the University of a Population of 100,000 or more within a county 2. Largest indoor sporting arena controlled by the University of a Population of 700,000 or more within a county.

- At least 1 AED installed in: The Capitol Building in Carson City, The Legislative Building in Carson City, and The Grant Sawyer Building in Las Vegas.
- Each governmental entity is required to have at least 1 AED located centrally.
- Each county with a population of 100,000 or more should provide at least one AED at 5 county buildings (in each county of 100,00 or more) that handles pedestrian traffic on a day to day basis

New Hampshire

- **Education Systems** [HB 911-FN-LOCAL - Chapter 62](#)
 - It is the intent of the state of New Hampshire to encourage all schools to obtain and maintain automated external defibrillators at appropriate school locations for the safety and protection of students and others participating in or attending school athletic and related activities. and HB911 - encourages purchase of AEDs

New Jersey Laws

- Administrative Codes
 - **New Jersey Education Law** [18A:40-41a](#)
 - This law states that schools are required to have an Automatic external defibrillator on premises at all times. The defibrillator must be located in an unlocked premises
 - An automated external defibrillator, as defined in section 2 of P.L.1999, c.34 (C.2A:62A-24), is available within reasonable proximity of the school athletic field or gymnasium, as applicable, at which a school-sponsored athletic event or team practice in which pupils of the district are participating, is taking place;
 - **Health Clubs** [2A:62A-31](#) This law states that each health club is required to have at least one Automatic external defibrillator and store it in an accessible location within the health clubs. The defibrillator must be tested and maintained.

New Mexico Laws

- **New Mexico Administrative Code** [Link](#)
 - [16.5.15](#) A defibrillator is required in locations that utilize deep sedation/general anesthesia.

New York Laws

- **New York State Dental Facilities**
 - [Article 133 Section 6611 Part 10](#) All dental facilities shall have an AED or other defibrillator at the facility.

- o **Education Laws - § 917.** Each school facility must have at least one AED on sight at all times on the premises
- o **Public Venues [Part 303](#)**
 - Require AEDs in hundreds of public venues, including public buildings, parks, Island ferry terminals, public golf courses and city-funded senior centers.
 - Requires public buildings, stadiums, arenas and convention centers in cities with a population above 1,000,000 to be equipped with AEDs and have employees trained in AED use.
- o **Health Clubs –§ 627-a.**
 - Every health club with 500 people or more must have on the premises at least one AED at all times.
- o **Public Buildings - § 140.**
 - It shall be an additional duty of each such superintendent or chief executive officer of each of the public institutions and buildings of the state to equip each such building with an automated external defibrillator.
- o **Hotels with Meeting Rooms with capacity of over 1,000 [N.Y. PBB. LAW § 140](#)**
 - Hotels in New York with meeting rooms or banquet rooms or ballrooms with capacity to hold 1,000 people or more are mandated to have an AED.
- o **Nursing Homes [§4736-2013](#)**
 - All Assisted living buildings required at least one AED

North Carolina Laws

- **North Carolina Administrative Code ([21 NCAC 16](#))**
- **Dental**
 - o [21 NCAC 16Q.0202](#) A Defibrillator is required for facilities utilizing general anesthesia.
 - o [21 NCAC 16Q.0302](#) An AED is required for facilities utilizing moderate conscious sedation or moderate pediatric conscious sedation.
 - o [21 NCAC 16Q.0402](#) An AED is required for facilities utilizing minimal conscious sedation.
- **Boxing or Kickboxing [14B NCAC 10 .0404](#)** A promoter or matchmaker must provide at each program or match a portable defibrillator and a canister of oxygen, need to be ringside.

North Dakota Laws

- **Administrative Codes**
 - **Education Systems** \$400K to fund school AED purchases; passed

Ohio Laws

- **Toledo, OH Municipal Code [1511.09](#) NURSING HOMES**
 - o **Subsection 2** Every nursing home must have at least one AED.

Oklahoma Laws

- **Oklahoma Administrative Code ([Title 95 Chpt 20](#)) DENTAL**
 - [Section 195:20-1-8](#) A defibrillator is recommended for dentists utilizing conscious sedation by parenteral methods.
 - [Section 195:20-1-9](#) A defibrillator is required for dentists utilizing general anesthesia/deep sedation.

Oregon Laws

- **Board of Dentistry Regulations ([Link](#))**
 - **Dental Practice Act ([PDF](#))**
 - **818-026-0060** An AED is required for a Moderate Sedation permit.
 - **818-026-0065** An AED is required for a Deep Sedation permit.
 - **818-026-0070** An AED is required for a General Anesthesia permit.
- **Education systems [339.345](#)**
 - This code states for school safety each school should have at least one AED centrally located and readily available.
- **AED Required Locations [431.680](#) and [431.690](#)**
 - Required at Health Clubs – centrally located and accessible
 - Required at places of public assembly –centrally located and accessible
- **Health Services [DIVISION 30](#)**
 - All camp operators must have first aid and health services available including at least one AED if they have 100 campers or more.
- **Fitness Centers**
 - The owner of a health club, that routinely has 100 patrons in a business day, shall have on the premises at all times at least one automated external defibrillator. (not school, not hotels)
- **Places of Public Assembly or business [SB 556](#)**
 - >25 people, over 50,000 sq ft (inside) and 1 building - has to have 1 AED

Pennsylvania Laws

- **Pennsylvania Code Chpt 33 State Board of Dentistry ([Link](#))**
 - **Duties of dentists who are unrestricted permit holders [33.340](#)** Dental offices that utilize general anesthesia, deep sedation, conscious sedation or nitrous oxide/oxygen analgesia must have a Defibrillator
 - **Duties of dentists who are restricted permit I holders [33.340a](#)** Dental offices that utilize conscious sedation or nitrous oxide/oxygen analgesia must have a Defibrillator.
- **Mine Operators [208.70](#)** This code states that mine operators should have an AED readily available for use.

- **Assisted Living - 14-514 55 PA Code Chapter 2800**
 - New rule in July - has first aid & AED ruling for assisted living residences (first aid kits and AEDs)
- **Education Systems**
 - AT least 2 AED's located in every school pd for by state; \$2.4million in funding

Rhode Island Laws

- **Health Facilities [Section 5-50-12](#)**
 - This code states that each Health club shall have at least one AED centrally located on the premises.
- **Emergency Area [Section 17.3](#)**
 - This code states that within an emergency area a cardiac monitor and defibrillator with battery pack should be centrally located and readily available to patrons and employees.
- **City, Town, Public College, State Police, Judicial Offices [HB 7336](#)**
 - Requires that AEDs be placed in every city, town, college campus and judicial office in the state.

South Carolina Laws

- **South Carolina Code of Laws ([Title 40 Chapter 15](#))**
 - **DENTAL. Section 40-15-410** To offer deep sedation/general anesthesia the facility must have a Defibrillator.
 - **Education [Section 59-17-155](#)** This code requires that every high school has at least one assessable operational AED; [HB 3723](#) - Requires that school districts implement an automated external defibrillator program for each high school.

South Dakota Laws

- **South Dakota Administrative Rules**
 - [20:43:09:13](#) Facilities that utilize moderate sedation must have an AED or Defibrillator.
 - [20:43:09:13.01](#) Facilities that utilize deep sedation/general anesthesia must have an AED or Defibrillator
 - [NO. 1006](#) - Encourages schools to have an AED on site.

Tennessee Laws

- **Tennessee Board of Dentistry Rules ([LINK](#))**
 - **Chapter 0460-02 [PDF](#)** A Defibrillator is required for conscious sedation (Page 21) and for deep sedation/general anesthesia (Page 25).

o Education Systems

- [HB 1633](#) - This bill is an amendment to SB 1433; it still requires that a school must place its first AED in a location that may be accessed readily from any area of the school, but is amended to include, "particularly from those areas of the school that are used for physical education or activity."
- [SB 2505](#) - Requires automated external defibrillators in public schools and addresses their placement.

Texas Laws

- **State Board of Dental Examiners Rules ([PDF Link](#))**
 - o **Page 72-** Defibrillator should be available in facility where moderate sedation is utilized
 - o **Page 74-** Defibrillator needed for facilities where deep sedation/general anesthesia is utilized.
- **Health Facilities [Sec. 242.159](#)**
 - o Every health Facility shall have a centrally located operational AED for use of employees and patrons.
- **Education Code [Sec. 38.017](#)**
 - o This code states that each school should make defibrillators readily available on campus. While also having an AED within close proximities of athletic events and practices.
- **Nursing Homes/Assisted Living [Sec. 242.159](#)**
 - o An institution shall have an AED on site and available for use. Shall comply with training, use, and notification requirements

Utah Laws

- **Dentist and Dental Hygienist Practice Act Rule ([PDF Link](#))**
 - o **Page 6-** Dentist w/Class IV Permit who utilize deep sedation/general anesthesia must make sure facility is equipped with a defibrillator.
- **Emergency Medical Care Requirements [R392-400-12](#)**
 - This code states that operators shall have at least one first aid station, included in that first aid station must be at least 1 AED.

Vermont Laws

- **Vermont Board of Dental Examiners ([PDF Link](#))**
 - o **Page 17-** Conscious sedation must happen in facility equipped with a defibrillator.
 - o **Page 20-** Dentist to get general anesthesia/deep sedation endorsement must have facility that means the standard set in [AAOMS Office Anesthesia Evaluation Manual 8th Edition 2012](#). This requires a defibrillator but recommends an AED for ease of use.

Virginia Laws

- **Automated External Defibrillator Grant Fund [2.2-214.2](#)**
 - There is hereby created in the state treasury a special nonreverting fund to be known as the Automated External Defibrillator Grant Fund, hereafter referred to as “the Fund.” The Fund shall be administered by the Secretary and established on the books of the Comptroller. The Fund shall consist of such moneys appropriated by the General Assembly and any funds available from the federal government, donations, grants, and in-kind contributions made to the Fund for the purposes stated herein. The Fund is established to provide grants to localities of the Commonwealth to purchase and install automated external defibrillators in local public buildings and facilities and to develop medical emergency response programs, including the training of anticipated rescuers. To obtain – application must be approved
- **Education Systems [2.2-214.2](#)**
 - Each school board shall ensure that each school building shall have a working automated external defibrillator.
- **Health Spas [2.2-214.2](#)**
 - Each health spa location shall have a working automated external defibrillator. In addition, each health spa location shall develop a medical emergency response plan in coordination with local emergency medical services providers and ensure that a sufficient number of employees have current certification in cardiopulmonary resuscitation or have received training, within the last two years, in emergency first aid and cardiopulmonary resuscitation including training on the use of an automated external defibrillator.
- **Jail Services [Public Safety Services](#)**
 - Availability of Automatic Electronic Defibrillators
- **Doctor’s Offices [18VAC85-20-360](#)**
 - To administer office-based moderate sedation/conscious sedation an AED must be on site and readily available, must monitor devices also

Washington Laws

- **Washington Administrative Code**
 - [WAC 246-817-722](#) Every dental office in Washington must have an AED if they administer minimal, moderate, deep sedation, or general anesthesia.
 - This code also states that dental offices may share a single AED with adjacent businesses if it meets the requirements in its sections.
 -

West Virginia Laws

- **West Virginia Code (Chpt 30 Article 4A [LINK](#))**
- **DENTAL** Class 2 Permit, Class 3 Permit, and Class 4 Permit practitioners need a defibrillator to perform following levels of sedation/anesthesia.
 - Class 2= anxiolysis/minimal sedation
 - Class 3=conscious sedation/moderate sedation and the previous class
 - Class 4= general anesthesia/deep sedation and the previous classes

Wisconsin Laws

- **Dentistry Examining Board (Chpt DE 11 [PDF LINK](#))**
 - Defibrillator is required in the operating room and the recovery room for facilities utilize enteral/parenteral conscious sedation, deep sedation and general anesthesia.
- **Daycare facilities - [AED Use](#)**
 - Day care centers need to be proficient in AED use
- **Education Systems [AB 725](#)**
 - All high schools must offer AED/CPR courses to students

Wyoming Laws

- **Administrative codes**
 - **Dental Facilities [Chp 5 Sec 5](#)**
 - This code states that if a dentist is performing a procedure that involves any type of sedation a defibrillator is required for the emergency anesthetic equipment